

MX LINE

Tatoma

50

years
working together





50
years
working together

TRAILED MIXERS

Vertical mixers

Model MX VD 175	4
Model MX VD 200 - New	5
Model MX VD 2001 - New	6
Model MX MV DD - Two augers	7
Model MX MV DT - Two augers	8
Model MX MVL - Two augers	9
Model MX MV DD - Two augers Large volume m ³	10
Model MX MV DT - Two augers Large volume m ³	11
Model MX MVL - Two augers Large volume m ³	12
Model MX MV DD SLIM	13
Model MX MVL DT SLIM	14
Model MX MVL SLIM	15
Model MX MV 295	18
Model MX MVL - Three augers	19
Model MX MV DD - Three augers	20
Model MX VN - 1 auger	21
Model MX VN 8 LOW - 1 auger	22
Model MX VN 4-6 - 1 auger	23
Model MX V - 1 auger	24
Model MX MV DD - 1 auger	25
Model MX MV DT - 1 auger	26
Model MX MVL - 1 auger	27

Horizontal mixers

Model MX MT - 1 auger	28
Model MX MTD - 1 auger	29

* Tatoma Agro reserves the right to change specifications and models at any time.

MX VD 175 SERIES



Two augers



Side discharge



17





105 > 130



Vertical mixer



1 Axle



MX VD 175

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX VD 175	17	6700	4225	2375	2042	2763	680	5450

Measurements in millimetres.

MX VD 200 SERIES



Two augers



Side discharge - Door



20





105 > 130



Vertical mixer



New model




MX VD 200

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX VD 200	20	7180	4536	2447	2042	2891	680	5450

Measurements in millimetres.

MX VD SERIES




MX VD 2001

CAPACITY m³ - DIMENSIONS

MODEL	m ³	A	B	C	D	E	F	kg
MX VD 2001	20	8154	5481	2281	2042	2891	680	5450

Measurements in millimetres.

MX MV DD SERIES



MX MV DD

CAPACITY m³ - DIMENSIONS

MODEL	m ³	A	B	C	D	E	F	kg
MX MV 14 DD	14.5	7332	4950	2250	1942	2550	713	5965
MX MV 16 DD	16	7332	4950	2250	1942	2677	713	6130
MX MV 18 DD	18	7680	5180	2300	1942	2679	713	6670
MX MV 20 DD	20	7728	5180	2300	1942	2839	713	6670
MX MV 22 DD	22	7779	5180	2300	1942	3009	713	7250

Measurements in millimetres.

MX MV DT SERIES



Two augers



Rear discharge
- Belt



14-16-18-20-22




85 > 135



Vertical
mixer



1 Axle



MX MV DT

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 14 DT	14.5	7332	4859	2250	1942	2530	713	6015
MX MV 16 DT	16	7459	4859	2250	1942	2677	713	6015
MX MV 18 DT	18	7859	5099	2300	1942	2679	713	6720
MX MV 20 DT	20	7859	5099	2300	1942	2839	713	7020
MX MV 22 DT	22	7859	5099	2300	1942	2839	713	7300

Measurements in millimetres.

MX MVL SERIES



Two augers



Side
discharge - Door



14-16-18-20-22




85 > 135



Vertical
mixer



1 Axle



MX MVL

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MVL 14 DL	14.5	7332	4859	2590	1942	2527	713	5800
MX MVL 16 DL	16	7332	4859	2590	1942	2677	682	5935
MX MVL 18 DL	18	7505	5099	2640	1942	2679	682	6460
MX MVL 20 DL	20	7553	5099	2640	1942	2839	682	6750
MX MVL 22 DL	22	7604	5099	2640	1942	3009	682	7020

Measurements in millimetres.

MX MV DD SERIES



Two augers



Front discharge - Belt



Large volume 24-26-30





145 > 180



Vertical mixer



2 Axles



MX MV DT SERIES



Two augers



Rear discharge - Belt



Large volume 24-26-30





145 > 180



Vertical mixer



2 Axles



MX MV DD

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	G	kg
MX MV 24 DD	24	8573	5095	2472	2242	3075	250	875	8770
MX MV 26 DD	26	8573	5095	2472	2242	3075	425	875	8800
MX MV 30 DD	30	8573	5095	2472	2242	3075	425	875	8843

Measurements in millimetres.

MX MV DT

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	G	kg
MX MV 24 DT	24	8573	5095	2472	2242	3075	250	875	8770
MX MV 26 DT	26	8573	5095	2472	2242	3075	425	875	8800
MX MV 30 DT	30	8573	5095	2472	2242	3075	425	875	8843

Measurements in millimetres.

ENIL
MX LINE

MX MVL SERIES



Two augers



Side discharge



Large volume
24-26-30





145 > 180



Vertical mixer



2 Axles



MX MVL

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	G	kg
MX MVL 24	24	8571	4000	2641	2242	3075	250	820	8770
MX MVL 26	26	7599	4000	2641	2242	3275	425	820	8800
MX MVL 30	30	7599	4000	2641	2242	3510	425	820	8843

Measurements in millimetres.

MX MV DD SERIES



Two augers



Front discharge - Belt



13-15





80 > 100



Vertical mixer



1 Axle



MX MV DD SLIM

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 13 DD	13	7293	4845	2000	1982	2597	850	5735
MX MV 15 DD	15	7293	4845	2000	1982	2862	850	5810

Measurements in millimetres.

MX MV DT SERIES



Two augers



Rear discharge - Belt



13-15




80 > 100



Vertical mixer



1 Axle



MX MV DT SLIM CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 13 DT	13	7293	4845	2000	1982	2597	850	5735
MX MV 15 DT	15	7293	4845	2000	1982	2862	850	5810

Measurements in millimetres.

MX MVL SERIES



Two augers



Side discharge - Door



13-15




80 > 100



Vertical mixer



1 Axle



MX MVL SLIM CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MVL 13	13	6562	4845	2092	1982	2597	450	5735
MX MVL 15	15	6562	4845	2092	1982	2862	450	5810

Measurements in millimetres.

A photograph of a middle-aged man with grey hair and a beard, smiling warmly. He is wearing a dark grey zip-up vest with a white fur collar over a blue t-shirt. He is standing in a barn, leaning on a metal railing. In the background, several brown cows are visible in their stalls, and the barn's interior is lit with warm, golden light from windows and overhead lights.

50

years
working together

ENI
MX
LINE

Tatoma

www.tatomaagro.com

MX MV 295 SERIES



Two augers



Front discharge - Belt



29.5




175



Vertical mixer



1 Axle



MX MV 295

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 295	29.5	8579	5530	2980	2456	3408	425	8770

Measurements in millimetres.

MX MVL SERIES



Three augers



Side discharge - Door



30-35-40-45-47




180 > 280



Vertical mixer



2-3 Axles



MX MVL

CAPACITY m³ - DIMENSIONS


MODEL	m³	A	B	C	D	E	F	G	kg	Axles
MX MVL 30	30	9522	445	2239	2458	3070	145	1140	14550	2
MX MVL 35	35	10028	445	2239	2637	3175	250	1140	14750	2
MX MVL 40	40	10028	445	2239	2637	3425	250	1140	14950	3
MX MVL 45	45	10028	445	2239	2637	3775	500	1140	15150	3
MX MVL 47	47	10028	445	2239	2637	3775	650	1140	15160	3

Measurements in millimetres.

MX MV DD SERIES



- Three augers
- Front discharge - Door/Belt
- 30-35-40-45-47
- Vertical mixer
- 180 > 280
- 2-3 Axles



MX MV DD CAPACITY m³ - DIMENSIONS


MODEL	m³	A	B	C	D	E	F	G	kg	Axles
MX MV 30 DD	30	10409	450	2239	2462	3070	145	1140	14800	2
MX MV 35 DD	35	11003	445	2237	2500	3175	250	1140	15000	2
MX MV 40 DD	40	11003	445	2237	2500	3425	250	1140	15200	3
MX MV 45 DD	45	11003	445	2239	2500	3775	500	1140	15400	3
MX MV 47 DD	47	11003	445	2237	2500	3775	650	1140	15410	3

Measurements in millimetres.

MX VN SERIES



- 1 auger
- Side discharge - Door
- 8-10-12-14
- Vertical mixer
- 50 > 85
- 1 Axle




MX VN CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX VN 8	8	4515	3250	2441	2000	2651	645	3300
MX VN 10	10	4550	3064	2441	2000	2771	645	3440
MX VN 12	12	4664	3064	2576	2000	2928	645	3620
MX VN 14	14	4724	3064	2576	2000	3175	645	3620

Measurements in millimetres.

MX VN SERIES




MX VN 8 LOW

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX VN 8 LOW	8	4592	4110	2392	2200	2289	130	3200

Measurements in millimetres.

MX VN SERIES





MX VN 4-6

CAPACITY m³ - DIMENSIONS



MODEL	m³	A	B	C	D	E	F	kg
MX VN 4	4	3770	2537	1736	1600	2288	510	2000
MX VN 6	6	3770	2537	1736	1600	2416	510	2150

Measurements in millimetres.

MX V SERIES



MX MV DD SERIES



MX V CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX V 1200	12	5748	4237	2277	2300	2938	2938	3840
MX V 1400	14	5862	4237	2412	2435	3095	3095	4140


Measurements in millimetres.

MX MV DD CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 8 DD	8	5484	3859	2300	1875	2556	583	3640
MX MV 10 DD	10	5520	3859	2300	1875	2840	583	3740
MX MV 12 DD	12	5634	3859	2435	1875	2936	583	4015
MX MV 14 DD	14	5694	3859	2435	2042	3143	693	4120

Measurements in millimetres.

MX MV DT SERIES




MX MV DT

CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	kg
MX MV 8 DT	8	5659	3859	2250	1875	2556	583	3690
MX MV 10 DT	10	5795	3985	2300	1875	2676	583	3790
MX MV 12 DT	12	6150	4268	2435	1875	2833	583	4065
MX MV 14 DT	14	6150	4268	2435	2042	3143	693	4170

Measurements in millimetres.

MX MVL SERIES



MX MVL

CAPACITY m³ - DIMENSIONS


MODEL	m³	A	B	C	D	E	F	kg
MX MVL 8	8	5309	3859	2440	1995	2556	552	3395
MX MVL 10	10	5345	3859	2440	1995	2676	552	3500
MX MVL 12	12	5459	3859	2575	1995	2833	552	3760
MX MVL 14	14	5519	3859	2575	2162	3143	662	3865

Measurements in millimetres.

MX MT SERIES



- 1 auger
- Side discharge - Belt
- 7-10-13-16-20 m³
- 80 > 150
- Vertical mixer
- 1 Axle



MX MT CAPACITY m³ - DIMENSIONS


MODEL	m³	A	B	C	D	E	F	kg
MX MT 7	7	5369	4212	2041	1832	2203	315	4000
MX MT 10	10	5998	4563	2267	2132	2545	290	4800
MX MT 13	13	6209	4756	2256	2052	2585	280	5000
MX MT 16	16	6912	5360	2264	2300	2816	310	6300
MX MT 20	20	6870	5452	2448	2378	2975	290	6800

Measurements in millimetres.

MX MTD SERIES



- 1 auger
- Side discharge - Belt
- 7-10-13-16 m³
- 45 > 95
- Vertical mixer
- 1 Axle



MX MTD CAPACITY m³ - DIMENSIONS

MODEL	m³	A	B	C	D	E	F	G	kg
MX MTD 7	7	6200	4250	1950	1932	2400	315	4000	4000
MX MTD 10	10	6703	4673	2209	2032	2460	220	4000	4800
MX MTD 13	13	6922	4743	2266	2081	2750	305	4000	5000
MX MTD 16	16	7645	5377	2331	2281	2904	315	4000	6300

Measurements in millimetres.

Horizontal mixer

MX LINE



50

years
working together

Tatoma

www.tatomaagro.com

MX LINE

50 years working together

Tatoma has been building mixers for ruminant feed for decades, working with farmers to develop them.

With more than 50 years of experience, today we can offer you the most complete range on the market and the best mixing system in the world.

Tatoma
www.tatomaagro.com

TATOMA AGRO
Tel. + 34 974 401 336
info@grupotatoma.com
Polig. ind. Paüles 53-55,
22400 Monzón - Huesca
Spain